

Obsessive-Compulsive Disorder (OCD)



Are You Ready to Take Control Over Your Obsessive Thoughts and Behaviors?

Break the Cycle of Obsessive-Compulsive Disorder

with BrainsWay Deep TMS™

BrainsWay®

www.brainsway.com

Changing obsessive thinking is possible!

Treatment options for OCD are limited. Approximately half of patients experience insufficient improvement from medication, and many face debilitating side effects. In addition, nearly 80% of individuals remain symptomatic after psychotherapy, resulting in a significant treatment gap.

A novel, noninvasive, and well-tolerated treatment, BrainsWay Deep TMS can facilitate a profound improvement in patients' mental health.

Deep TMS is an FDA-cleared therapy for patients suffering from OCD, and is clinically proven to alleviate symptoms without causing systemic or long-lasting adverse events or side effects.

Regain control of your life with BrainsWay Deep TMS.



www.brainsway.com

Short Treatment Sessions in Your Healthcare Provider's Office

Seamlessly integrates into your lifestyle:

Provocation Design

PREP SESSION

Treatment includes a one-time 90-minute session to design individualized provocation based on a patient's specific symptoms.

Deep TMS Treatment Sessions

WEEK 1	WEEK 2	WEEK 3	WEEK 4	WEEK 5	WEEK 6
5 treatments	5 treatments	5 treatments	5 treatments	5 treatments	4 treatments

29 TREATMENTS

Each session typically takes 30 minutes and includes:

Provocation Administration + **18 Minute TMS Protocol**

Each session includes 2 steps:

1



Activate OCD Symptoms

Obsessive thoughts and compulsions are induced using visual and verbal cues designed for your specific OCD symptoms. The objective is to activate the areas of the brain involved in habit formation and reward.

2



Stimulate Brain Targets with Deep TMS

The treatment coil delivers gentle electromagnetic pulses to key areas in your brain involved in OCD thoughts and behaviors. These pulses feel like mild tapping on your scalp. You will be comfortably sitting in a chair, awake and alert during the treatment.

Clinically Proven to Effectively Reduce OCD Symptoms

Including among those who have not seen sufficient improvement with medication or psychotherapy.

In a pivotal, placebo-controlled study, **>1 in 3 patients responded to BrainsWay Deep TMS**[1]

In real clinical settings, the majority of patients saw their **OCD symptoms decrease by at least 30%**[2]

A Well-tolerated Treatment with No Side Effects Commonly Associated with Medication

And with significant data supporting Deep TMS.

Patients may initially experience mild side effects such as minor pain at the site of the treatment or headaches at the outset of treatment. These symptoms typically diminish after the first few sessions. Treating physicians sometimes tailor the treatment to minimize discomfort. Patients can return to their normal routine after this noninvasive treatment, as it does not require hospitalization or anesthesia.

[1] Carmi L, et al. Efficacy and Safety of Deep Transcranial Magnetic Stimulation for Obsessive-Compulsive Disorder: A Prospective Multicenter Randomized Double-Blind Placebo-Controlled Trial. Am J Psychiatry 2019; 0:1–8;

[2] Roth Y, et al. Real-world efficacy of deep TMS for obsessive-compulsive disorder: Post-marketing data collected from twenty-two clinical sites. J Psychiatr Res. 2020 Nov 4;S0022-3956(20)31065-7

Learn More About Whether this Clinically Proven, Noninvasive Treatment is Right for You

You can:

☑ **SPEAK** with your healthcare provider

☑ **SCAN** the QR code for more information

☑ **VISIT** www.brainsway.com

☑ **CALL** us at 844-386-7001

☑ **EMAIL** us at DeepTMS@brainsway.com

SCAN ME

Indication—BrainsWay Deep TMS™ is indicated by the FDA as an intended adjunct treatment for adult patients suffering from Obsessive-Compulsive Disorder (OCD). FDA De Novo No. DEN170078

Safety Information—Patients should consult with their doctor before undergoing BrainsWay Deep TMS. The most common side effects include headaches and application site pain or discomfort. There is also a very rare risk of seizure associated with the treatment. Patients with metal in or around the head such as in metal plates, implants, and stents should not undergo Deep TMS treatment.

BW-OCD-02

BrainsWay®

www.brainsway.com



Trastorno obsesivo-compulsivo (TOC)

¿Está listo para tomar el control sobre sus pensamientos y comportamientos obsesivos?

Rompa el ciclo del trastorno obsesivo compulsivo

con Deep TMS de BrainsWay™

BrainsWay®

www.brainsway.com



Trouble obsessionnel-compulsif (TOC)



Êtes-vous prêt(e) à prendre le contrôle de vos pensées et comportements obsessionnels?

Briser le cycle du trouble obsessionnel-compulsif

avec BrainsWay Deep TMSMC

BrainsWay®

www.brainsway.com



Disturbo ossessivo-compulsivo (DOC)

Siete pronti ad assumere il controllo dei vostri pensieri e comportamenti ossessivi?

Interrompete il ciclo del disturbo ossessivo-compulsivo

con BrainsWay Deep TMS™

BrainsWay®

www.brainsway.com



Zwangsstörung (Obsessive-Compulsive Disorder, OCD)




Sind Sie bereit, die Kontrolle über Ihre zwanghaften Gedanken und Verhaltensweisen zu übernehmen?

Brechen Sie den Zyklus der Zwangsstörung

mit BrainsWay Deep TMS™

BrainsWay®

www.brainsway.com



Transtorno obsessivo-compulsivo (TOC)



Você está pronto para assumir o controle dos seus pensamentos e comportamentos obsessivos?

Quebre o ciclo do transtorno obsessivo-compulsivo

com BrainsWay Deep TMS™

BrainsWay®

www.brainsway.com



Обсессивно-компульсивное расстройство (ОКР)



Вы готовы взять под контроль навязчивые мысли и действия?

Разорвите круг обсессивно-компульсивного расстройства

при помощи BrainsWay Deep TMS™

BrainsWay®

www.brainsway.com